

# Jacinda - Functional Stream Processing Language

Vanessa McHale

## Contents

<b>Tutorial</b>	<b>2</b>
Language	2
Patterns + Implicits, Streams	2
Fold	3
Custom Field Separators	3
Map	3
Functions	3
Zips	4
Scans	4
Prior	4
Deduplicate	4
Filter	5
Formatting Output	5
Reporting	5
Libraries	5
System Interaction	6
<b>Examples</b>	<b>7</b>
Vim Tags	7
Error Span	7
Unix Command-Line Tools	8
wc	8
head	9
basename	9
tr	9
uniq	9
nl	9
Data Processing	10
CSV Processing	10
<b>Machinery</b>	<b>11</b>
Typeclasses	11
Functor	11
IsPrintf	11

## Tutorial

Jacinda is well-suited to processing the output of Unix tools: regular expressions scan for relevant output and one can split on separators.

There is additionally support for filters, maps and folds that are familiar to functional programmers.

## Language

### Patterns + Implicits, Streams

In Jacinda, one writes a pattern and an expression defined on matching lines, viz.

```
{% <pattern>}{<expr>}
```

This defines a stream of expressions.

One can search a file for all occurrences of a string:

```
ja '% /Bloom/}{`0}' -i ulysses.txt
```

'0 here functions like \$0 in AWK: it means the whole line. So this would print all lines that match the pattern `Bloom`.

We could imitate `fd` with, say:

```
ls -1 -R | ja '% ^.hs$/}{`0}'
```

This would print all Haskell source files in the current directory.

There is another form,

```
{<expr>}{<expr>}
```

where the initial expression is of boolean type, possibly involving the line context. An example:

```
{#`0>110}{`0}
```

This defines a stream of lines that are more than 110 bytes (`#` is 'tally', it returns the length of a string).

There is also a syntax that defines a stream on all lines,

```
{|<expr>}
```

So `{| `0 }` would define a stream of text corresponding to the lines in the file.

## Fold

To count lines with the word “Bloom”:

```
ja '(+)|0 {% /Bloom/}{1}' -i ulysses.txt
```

Note the *fold*, |. It is a ternary operator taking (+), 0, and {%/Bloom/}{1} as arguments. The general syntax is:

```
<expr>|<expr> <expr>
```

It takes a binary operator, a seed, and a stream and returns an expression.

There is also ▷, which folds without a seed.

## Custom Field Separators

Like AWK, Jacinda allows us to define custom field separators:

```
printenv | ja -F= '{% /^PATH/}{2}'
```

This splits on = and matches lines beginning with PATH, returning the second field—in this case, the value of PATH.

## Map

Suppose we wish to count the lines in a file.

```
(+)|0 {1}
```

This uses aforementioned {<expr>} syntax. It this defines a stream of 1s for each line, and takes its sum.

We could also do the following:

```
(+)|0 [:1"$0
```

\$0 is the stream of all lines. [: is the constant operator,  $a \rightarrow b \rightarrow a$ , so [:1 sends anything to 1.

" maps over a stream. So the above maps 1 over every line and takes the sum.

## Functions

We could abstract away sum in the above example like so:

```
let val
  sum := [(+)|0 x]
in sum {% /Bloom/}{1} end
```

In Jacinda, one can define functions with a dfn syntax in, like in APL. We do not need to bind x; the variables x and y are implicit. Since [(+)|0 x] only mentions x, it is treated as a unary function.

[y] is treated as binary. Thus, [y]▷\$0 prints the last line.

Note also that `:=` is used for definition. The general syntax is

```
let (val <name> := <expr>)* in <expr> end
```

**Lambdas** There is syntactical support for lambdas;

```
\x. (+)|0 x
```

would be equivalent to `[(+)|0 x]`.

### Zips

The syntax is:

```
, <expr> <expr> <expr>
```

One could (for instance) calculate population density:

```
, (%) $5: $6:
```

The postfix `:` parses the column based on inferred type; here it parses as a float.

### Scans

The syntax is:

```
<expr> ^ <expr> <expr>
```

Scans are like folds, except that the intermediate value is tracked at each step.

One could define a stream containing line numbers for a file with:

```
(+)^0 [:1"$0
```

(this is the same as `{|ix}`)

### Prior

Jacinda has a binary operator, `\.`, like `q`'s `each prior` or `J`'s dyadic infix. One could write:

```
succDiff := [(-) \. x]
```

to track successive differences.

**Currying** Jacinda allows partially applied (curried) functions; one could write

```
succDiff := ((-)\.)
```

### Deduplicate

Jacinda has stream deduplication built in with the `~.` operator.

```
~.$0
```

This is far better than `sort | uniq` as it preserves order; it is equivalent to `!a[$0]++` in AWK.

### Filter

We can filter an extant stream with `#.`, viz.

```
(>110) #. $1:i
```

`#.` takes as its left argument a unary function returning a boolean.

```
[#x>110] #. $0
```

would filter to those lines `>110` bytes wide.

### Formatting Output

One can format output with `sprintf`, which works like `printf` in AWK or C.

As an example,

```
{|sprintf '%i: %s' (ix.`0)}
```

would display a file annotated with line numbers. Note the atypical syntax for tuples, we use `.` as a separator rather than `,`.

### Reporting

One can print a stream and a summary value (usually the result of a fold):

```
$1 $> (+)|0 $1:
```

Try:

```
seq 10000 | ja '$1 $> (+)|0 $1:'
```

### Libraries

There is a syntax for functions:

```
fn sum(x) :=  
  (+)|0 x;
```

```
fn drop(n, str) :=  
  let val l := #str  
  in substr str n l end;
```

Note the `:=` and also the semicolon at the end of the expression that is the function body.

Since Jacinda has support for higher-order functions, one could write:

```
fn any(p, xs) :=
  (||)|#f p"xs;
```

```
fn all(p, xs) :=
  (&)|#t p"xs;
```

**File Includes** One can `@include` files.

As an example, one could write:

```
@include'lib/string.jac'
```

```
fn path(x) :=
  intercalate '\n' (splitc x ':');
```

```
path"$0
```

```
intercalate is defined in lib/string.jac.
```

**In-Place File Modification** We could trim whitespace from lines with:

```
(sub1 /\s+$/ 0)"$0
```

`sub1` is like AWK's `sub` and only substitutes the first occurrence. `0` is zilde, and can be used to represent an empty string or vector.

Jacinda does not modify files in-place so one would need to use sponge, viz.

```
ja '(sub1 /\s+$/ 0)"$0' -i FILE | sponge FILE
```

**Prelude**

```
or := [(||)|#f x]
```

```
and := [(&)|#t x]
```

```
count := [(+)|0 [:1"x]
```

`#t` and `#f` are boolean literals.

## System Interaction

Jacinda ignores any line beginning with `#!`, thus one could write a script like so:

```
#!/usr/bin/env -S ja run
```

```
fn path(x) :=
  ([x+'\n'+y])|> (splitc x ':');
```

```
path"$0
```

## Examples

### Vim Tags

Suppose we wish to generate vim tag files for our Jacinda programs. According to `:help tags-file-format` the desired format is

```
{tagname}      {TAB} {tagfile} {TAB} {tagaddress}
```

where `{tagaddress}` is an ex command. In fact, addresses defined by regular expressions are preferable as they become outdated less quickly.

As an example, suppose we have the function declaration

```
fn sum(x) :=  
  (+)|0 x;
```

Then we need to extract `sum` and give a regex that points to where it is defined.

To do so:

```
fn mkEx(s) :=  
  '/^' + s + '$/;';
```

```
fn processStr(s) :=  
  let  
    val line := split s /[\(\)]/  
    val outLine := sprintf '%s\t%s\t%s' (line.2 . fp . mkEx s)  
  in outLine end;
```

```
processStr"%/fn +[[:lower:]]+[[:latin:]]*.*/-}{`0}
```

Note the builtin `split`; according to the manpages it has type

```
split : Str -> Regex -> List Str
```

`.2` is the syntax for accessing a list - `line.2` extracts the second element.

### Error Span

Suppose we wish to extract span information from compiler output for editor integration. Vim ships with a similar script, `mve.awk`, to present column information in a suitable format.

```
src/Jacinda/Backend/TreeWalk.hs:319:58: error:  
  • The constructor ‘TyArr’ should have 3 arguments, but has been given 4  
  • In the pattern:  
    TyArr _ _ (TyArr _ (TyApp _ (TyB _ TyStream) _)) _  
  In the pattern:  
    TyArr _ _ (TyArr _ _ (TyArr _ (TyApp _ (TyB _ TyStream) _)) _)  
  In the pattern:  
    TBuiltin (TyArr _ _
```





```
(+)|0 {|#`0+1}
```

## head

To emulate `head -n60`, for instance:

```
{ix ≤ 60}{`0}
```

## basename

```
fn fileName(x) :=  
  x ~* 2 /([^\/*\/*)*(.*)/;
```

will remove the directory part of a filename.

## tr

We can present the `PATH` with

```
echo $PATH | tr ':' '\n'
```

To do so in Jacinda, we use `:` as field separator, viz.

```
echo $PATH | ja -F: "{|[x+'\n'+y]|>\`$}"
```

``$` is all fields in a line, as a list.

## uniq

```
fn step(acc, this) :=  
  if this = acc->1  
    then (this . None)  
    else (this . Some this);
```

```
(->2):?step^(''.None) $0
```

This tracks the previous line in a state and only adds the current line to the stream if it is different.

## nl

We can emulate `nl -b a` with:

```
{|sprintf ' %i %s' (ix.`0)}
```

To count only non-blank lines:

```
fn empty(str) :=  
  #str = 0;
```

```
fn step(acc, line) :=  
  if empty line
```

```

    then (acc->1 . '')
    else (acc->1 + 1 . line);

fn process(x) :=
  if !empty (x->2)
  then sprintf '    %i\t%s' x
  else '';

process"step^(0 . '') $0

```

We could write process as

```

fn process(x) :=
  ?!empty (x->2); sprintf '    %i\t%s' x; '';

using the laconic syntax for conditionals, ?<bool>;<expr>;<expr>

```

## Data Processing

### CSV Processing

We can convert .csv data to use ASCII separators with the aid of xsv, viz.

```
xsv fmt file.csv --ascii | ja --asv '$1'
```

For “well-behaved” csv data, we can simply split on ,:

```
ja -F, '$1'
```

**Vaccine Effectiveness** As an example, NYC publishes weighted data on vaccine breakthroughs.

We can download it:

```
curl -L https://raw.githubusercontent.com/nychealth/coronavirus-data/master/latest/now-weekly-breakthrough.csv -o /tmp/now-weekly-breakthrough.csv
```

And then process its columns with ja

```
ja ',[1.0-x%y] {ix>1}{`5:} {ix>1}{`11:}' -F, -i /tmp/now-weekly-breakthrough.csv
```

As of writing:

```

0.8793436293436293
0.8524501884760366
0.8784741144414169
0.8638045891931903
0.8644207066557108
0.8572567783094098
0.8475274725274725
0.879263670817542
0.8816131830008673

```

```
0.8846732911773563
0.8974564390146205
0.9692181407757029
```

This extracts the 5th and 11th columns (discarding headers), and then computes effectiveness.

**Inflation** We start with New Zealand’s food price index:

```
curl -O https://www.stats.govt.nz/assets/Uploads/Food-price-index/Food-price-index-September-2023/Download-data/food-price-index-september-2023-weighted-average-prices.csv
```

This data is not “well-behaved” so we convert to ASV:

```
xsv fmt --ascii food-price-index-september-2023-weighted-average-prices.csv | ja --asv '(%)\.{3}'
```

This uses `(\.)` (prior) to do something `xsv` cannot.

## Machinery

### Typeclasses

Under the hood, Jacinda has typeclasses, inspired by Haskell. These are used to disambiguate operators and witness with an implementation.

The language does not allow custom typeclasses.

### Functor

The map operator `"` works on all functors, not just streams. `Stream`, `List`, and `Option` are instances.

### IsPrintf

The `IsPrintf` typeclass is used to type `sprintf`; strings, integers, floats, booleans, and tuples of such are members.

```
sprintf '%i' 3
```

and

```
sprintf '%s%i' ('str' . 2)
```

are both valid.

### Row Types

The `→n` accessors work on all applicable tuples, so

$(a.b.c) \rightarrow 2$

and

$(a.b) \rightarrow 2$

are both valid.

Moreover,

$(a.b) \rightarrow 3$

will be caught during typechecking.